

Chains	
	cap marked
	<p>T2N R33E S10 S11 S15 S14 1917</p>
	This cor. is in grain field and all accessories are im-
	practicable.
	The cor. of secs. 14, 15, 22 and 23 bears S.0°01'E., 80.44
	chs. dist.
	Land, bottom and rolling.
	Soil, light loam, 1st rate.
	Timber, none.
	Undergrowth, willow, thorn and cottonwood to N. of river.
40.16	N.89°55'W., resurveying the line bet. secs. 10 and 15.
	Over rolling wheat field.
	Intersect the old $\frac{3}{4}$ sec. cor., which is the point of an
	old post, 12 ins. below surface of the ground under a
	fence, bearing N. and S.
	At the exact cor. point
	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the
	ground, for $\frac{3}{4}$ sec. cor., with brass cap marked
	<p>S10 S15 1917</p>
	Set an iron can, 24 ins. long, 12 ins. diam., filled with
	earth, 15 ins. in the ground, 2 ft. N. and another 2 ft.
	S. of cor.
	Thence
	S.89°35'W., continuing my measurements
48.20	Fence, bears W. and SE.
60.00	Fence, bears S.
79.77 $\frac{1}{2}$	Witness cor. to the cor. of secs. 9, 10, 15 and 16.
	Enter road.
80.23	The cor. of secs. 9, 10, 15 and 16.
	Land, rolling.
	Soil, light loam, 1st rate.
	Timber, none.
	Undergrowth, none.