

Subdivisional Lines, T. 2 S., R.32 E., W.M.

Chains		Feet
	ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face; pits impracticable, near summit of ridge.	
	From Cor. to Secs. 19, 20, 29 & 30, I run W. on random line bet. Secs. 19 & 30.	
	Var. 20° 30' E.	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
82.05	Intersect W. Bdy. of Tp. at Cor. to Secs. 19, 24, 25 & 30.	
	Thence I run	
	E; on true line bet. Secs. 19 & 30.	
	Var. 18° 00' E.	
12.90	Pole fence brs. N. & S.	
15.70	Stanley Creek brs. N.15° W., 5 lks. wide. Ascend 20°.	
38.00	Summit of ridge falls N. Descend 20°	+300
42.05	Set basalt stone, 10 x 8 x 8 ins., 8 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face; dug pits, 18 x 18 x 12 ins., E. & W. of stone, 5 $\frac{1}{2}$ ft. dist., and raised mound of earth, 2 ft. high x 4 $\frac{1}{2}$ ft. base over Cor.	
57.00	Pole fence brs. N.W. & S.E.	
57.80	Saw Mill Creek, 6 lks. wide, runs N.W.	
58.50	Wagon Road brs. N.W. & S.E. Ascend 25°	
82.05	The Cor. to Secs. 19, 20, 29 & 30.	
	Land; mountainous, 74.00 chs.	
	Soil; 3rd rate.	
	No timber. Good grass.	
	From the Cor. to Secs. 25, 30, 31 & 36, I run N.89° 32' E. on true line bet. Secs. 30 & 31.	
	Var. 18° 45' E.	
27.00	Summit of ridge falls N. Descend 25°	+500
42.00	Set basalt stone, 14 x 8 x 6 ins., 8 ins. in ground, for $\frac{1}{4}$ Sec. Cor. (digging imprac.), marked $\frac{1}{4}$ on N. face, and raised mound of stone, 1 $\frac{1}{2}$ ft. high x 4 $\frac{1}{2}$ ft. base over Cor., on E. slope of hill. Pits impracticable.	
43.50	Ravine, course N. Ascend 28°.	-500
53.00	Summit of ridge falls N. Descend 25°	+500