

Exterior & Subdivisional Lines, T.2 S., R.33 E., W.M.

Chd ns		Feet
	Ascend.	
5.00	Summit of ridge falls N.	Descend +1000
20.75	Enter timber.	
22.75	Canyon, course N.W.	Ascend 45° -800
39.00	Leave timber & thick brush.	
40.00	A basalt stone, in place, 8 x 8x 6 ins., above ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N., X at exact Cor. point, mound and pits impracticable, from which, A fir, 18 ins. diam., brs. N.10°E., 110 lks. dist., marked $\frac{1}{4}$ S., B.T. No other tree in limits. Sept. 17, 1891.	
40.50	Summit of ridge falls N.	Descend +800
55.25	Canyon N. Ascend through brush and timber 50°	-1200
75.00	Leave timber and dense brush.	
80.00	The Cor. to Secs. 27, 28, 33 & 34. Timber; pine, fir and tamarack, with dense undergrowth of same, 36.00 chs. Soil; stony 5th rate. Some grass. Exceedingly rough and mountainous, 80.00 chs.	
	S. bet. Secs. 33 & 34. Var. 20°10'E.	
4.00	Enter dense forest of pine & fir.	
31.00	Descend.	
40.00	Set basalt stone, 16 x 6 x 6 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face; raised mound of earth, 1 $\frac{1}{2}$ ft. high x 2 $\frac{1}{2}$ base over Cor., from which, A pine, 3 ins. diam., brs. W., 12 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 20 ins. diam., brs. N.80°E., 15 lks. dist., marked $\frac{1}{4}$ S., B.T. on E. hillside.	
41.75	Ravine, course S.E.	-100
53.50	Intersect E. & W. line, 740 lks. E. of Cor. to Secs. 1, 2, 3, 35 & 36, which is a pine post, 4 ins. sq. x 2 ft. above ground, marks T.2 S.; R.33 E., S.36 on N.E.	