

Subdivisional Lines, T. 2 S., R. 34 E., W.M.

Chains		Feet
79.50	Canyon, N.E.	-400
80.00	Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for Cor. to Secs. 9, 10, 15 & 16, marked T.2 S., S.10 on N.E. R.34 E., S.15 on S.E. S.16 on S.W. and S.9 on N.W. faces, with 3 notches on E. and 4 notches on S. edges, from which, A pine, 8 ins. diam., brs. N.85°E., 30 lks. dist., marked T.2 S., R.34 E., S.10, B.T. A fir, 6 ins. diam., brs. S.65°E., 13 lks. dist., marked T.2 S., R.34 E., S.15, B.T. A fir, 6 ins. diam., brs. S.15°W., 32 lks. dist., marked T.2 S., R.34 E., S.16, B.T. A fir, 10 ins. diam., brs. N.70°W., 29 lks. dist., marked T.2 S., R.34 E., S.9, B.T. Land; very mountainous and brushy, 80 chs. Pine, fir, spruce and tamarack timber. Soil; 3rd rate.	
	N. on true line bet. Secs. 9 & 10. Var. 18°E.	
36.50	Canyon, N.W.	-600
	Ascend.	
40.00	Set basalt stone, 16 x 18 x 20 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, over which, I raised mound of stone, 18 ins. high with $3\frac{1}{2}$ ft. base. Pits impracticable.	
	On side of long ridge.	+150
65.00	Summit of ridge and descend	+800
80.00	Set basalt stone, 8 x 10 x 12 ins., 8 ins. in ground, for Cor. to Secs. 3, 4, 9 & 10, marked with 3 notches on E. and 5 notches on S. edges, over which, I raised mound of stone, 2 ft. high with 4 ft. base.	