

Resurvey Subdivisional Lines, T.2 S., R.35 E., W. M.

| Chains | | Feet |
|--------|---|------|
| | <p>Land; rolling bench.</p> <p>Soil; scant light loam, 2nd rate.</p> <p>Timber; fir, pine & tamarack.</p> <p>Undergrowth; willow & lodgepole pine.</p> | |
| | <p>The $\frac{1}{4}$ Cor. bet. Secs. 5 & 8 is an old post, badly decayed, marked & witnessed as described by the Surveyor General, except that the N.W. bearing tree is now dead. I perpetuate this Cor., as follows: at the exact Cor. point</p> <p>Set basalt stone, 15 x 10 x 8 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ 5 on N. and 8 on S. faces; from which</p> <p style="padding-left: 40px;">A tamarack, 14 ins. diam., brs. N.37°30'W., 23 lks. dist., marked $\frac{1}{4}$ S.5, B.T. (New B.T.)</p> <p style="padding-left: 40px;">A balsam, 8 ins. diam., brs. S.16°E., 13 lks. dist., marked $\frac{1}{4}$ S.8, B.T. (Old B.T.)</p> | |
| | <p>Retracement & Survey Portion Subdivisional Lines, T.2 S., R.35 E.</p> | |
| | <p>From the Cor. to Secs. 7, 8, 17 & 18.</p> <p>W., retracing line bet. Secs. 7 & 18.</p> <p>Over high rolling bench, through heavy timber & dense undergrowth.</p> | |
| 40.30 | <p>Fall 36 lks. S. of point for $\frac{1}{4}$ Sec. Cor., located by reference to the bearing trees as described by the Surveyor General. I perpetuate this Cor., as follows; at the exact Cor. point</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in ground for $\frac{1}{4}$ Sec. Cor., with brass cap marked</p> <div style="text-align: center;"> $\frac{\frac{1}{4} \text{ S7}}{\text{S18}} \\ 1917$ </div> <p>from which</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., brs. N.52°W., 8 lks. dist., marked $\frac{1}{4}$ S.7, B.T. (Old B.T.)</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., brs. S.23°W., 30 lks. dist., marked $\frac{1}{4}$ S.18, B.T. (Old B.T.)</p> <p>The true course & distance of this line to the $\frac{1}{4}$ Sec. Cor.</p> | |