

Chains 14 & 15, the temp. $\frac{1}{4}$ Sec. Cor., N. Bdy. of Sec. 23 was shown to be in the limit of that originally established on S. Bdy. of Sec. 14; which, therefore stands for Cor. of two Secs.

Land: level and mountainous.

Soil; gravelly and stony; 3rd & 4th rates.

Heavily timbered with pine, fir and tamarack, 2.00 chs. Undergrowth; pine, fir, tamarack, alder and willow, cottonwood, huckleberry, fern and bunchgrasses.

Good pasturage.

Mountainous or heavily timbered land, 82.33 chs.

August 1, 1900.

S.89° 45' W., on a blank line, S. Bdy. of Sec. 15; at 38.87 chs., set temp. $\frac{1}{4}$ Sec. Cor., N. Bdy. of Sec. 22; at 40.18 chs. fail, to find any trace of the old $\frac{1}{4}$ Sec. Cor., S. Bdy. of Sec. 15; set temp. Cor. at 79.09 chs. the temp. closing Cor. of Secs. 21 & 22, bears N. 5 lks. dist.; and at 79.99 chs. the Cor. of Secs. 15 & 16, reestablished by me this day, a Basalt Stone 8 x 6 x 4 $\frac{1}{2}$ ins., above ground, marked and witnessed as described in the field notes of survey of subdivisions returned to the Surveyor-General, bears N.5 lks. dist.

Thence I run

N.89° 47' E. on a true line, S. Bdy. of Sec. 15.

Ascending steep hill, S. side of river canyon; bears N. 20° W. and S. 20° E.

.90 The closing Cor. of Secs. 21 & 22, a rock in place, 24 x 24 x 10, above ground, marked and witnessed as described in the field notes of subdivisions returned to the Surveyor-General.

10.50 Trail down point-S.; descend across canyon; bears N.&.S.

18.75 Foot; stream, 2 lks. wide, runs S.20 °E., ascend over point.

39.99 $\frac{1}{2}$ A rock in place, 30 x 18 x 3 ins. above ground, on which I cut a cross (X) as the exact Cor. pt., for $\frac{1}{4}$ Sec. Cor. S. Bdy. of Sec. 15, marked $\frac{1}{4}$ on N. surface and raise