

Subdivisional Lines, T.3 N., R.38 E., W.M.

Chains	S.89° 56' W. on true line bet. Secs. 20 & 29.	
14.00	Spring Brook, 5 lks. wide, course N.	-150
40.15	Set granite stone, 16 x 12 x 6 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, from which, A fir, 22 ins. diam., brs. S.56° E., 29 lks. dist., marked $\frac{1}{4}$ TS29, B.T. A fir, 22 ins. diam., brs. N.71° W., 39 lks. dist., marked $\frac{1}{4}$ S20, B.T. From this Cor., the old $\frac{1}{4}$ Sec. Cor., a post, marked and witnessed, brs. N 1 $\frac{1}{2}$ ° W., 605 lks. dist. I destroy Cor. and marks on bearing trees.	+850
80.30	The Cor. of Secs. 19, 20, 22 & 30. Land; mountainous. Soil; 4th rate. Timber; fir, pine and tamarack. Undergrowth; willow and alder. Mountainous land, 80.30 chs.	-125
	W. bet. Secs. 19 & 30.	
16.50	Spring branch, 1 lk. wide, course N.W.	-200
40.00	Set granite stone, 20 x 12 x 6 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, and raised mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of Cor., pits impractic- able. From this Cor., the old $\frac{1}{4}$ Sec. Cor., a tree, marked and witnessed, brs. N.600 lks. dist. I destroy Cor. and marks on bearing trees.	
107.00	Summit of ridge, brs. N.W. & S.E.	+150
122.10	Intersect W. Bdy. of Tp. 6, 40 lks. N.0°52' E. of the Cor. of Secs. 24 & 25, T 3 N., R 37 E., which is a stone, marked and witnessed. From this new Cor., the old Sec. Cor. as described by the Surveyor-General destroyed, brs. S.4° E., 210 lks. dist. At intersection, set granite stone, 14 x 8 x 6 ins., 9 ins. in ground for closing Cor. of Secs. 19 and 30, marked CC T3N., R38E. on E. face, with 2 notches on S. and 4	-100