

Subdivisional Lines, T.3 N., R.38 E., W. M.

Chains		Feet
80.10	<p>The Cor. to Secs. 7, 8, 17 & 18.</p> <p>This line passes along irregular S. face of mountain, steep and rocky.</p> <p>Land; mountainous.</p> <p>Soil; rocky, poor 4th rate.</p> <p>Timber; scattering fir & pine.</p> <p>Undergrowth; willow.</p> <p>Mountainous land, 80.10 chs.</p> <p style="text-align: right;">Sept. 9, 1903.</p>	
35.00	<p>W. bet. Secs. 7 & 18.</p> <p>Spring branch, 3 lks. wide, course S.70°W.</p>	-375
40.00	<p>Set basalt stone, 18 x 8 x 6 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, & raised mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of Cor. Pits impracticable.</p> <p>From this Cor., the old $\frac{1}{4}$ Sec. Cor., a stone, marked and witnessed, brs. N.413 lks. dist. I destroy Cor. and marks on bearing trees.</p>	
120.56	<p>Intersect W. Bdy., 875 lks. N.0°32'E. of Cor. to Secs. 12 and 13, T.3 N., R.37 E., which is a stone, marked and witnessed as described by the Surveyor General.</p> <p>At intersection, I set basalt stone, 20 x 8 x 6 ins., 12 ins. in ground, for Closing Cor. of Secs. 7 & 18, marked C.C., T.3 N., R.38 E. on E. face, with 4 grooves on S. & 2 grooves on N. face & raised mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of Cor. Pits impracticable.</p> <p>From this Cor., the old Closing Cor., a post, marked and witnessed, brs. N.0°54'E., 442 lks. dist. I destroy Cor. and marks on bearing trees.</p> <p>Land; mountainous.</p> <p>Soil; rocky, poor, 4th rate.</p> <p>Timber; fir, spruce & pine.</p> <p>Undergrowth; willow & alder.</p> <p>Mountainous land, 120.56 chs.</p> <p style="text-align: right;">Sept. 9, 1903.</p>	