

Retracement S. Bdy., T.4 N., R.38 E., W. M.

Chains		Feet
	<p>N. face, from which,</p> <p>A pine, 4 ins. diam., brs. S.89°W., 5 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p>A pine, 4 ins. diam., brs. N.33°E., 15 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p>Land; mountainous.</p> <p>Soil; 3rd rate.</p> <p>Scattering, dense undergrowth, alder & willow.</p> <p>Timber; spruce, fir & tamarack.</p> <p>Mountainous land, 40.40 chs.</p> <p>From this $\frac{1}{4}$ Sec. Cor., the old $\frac{1}{4}$ Sec.s Cor., established by me in 1899, brs. N., 74 lks. dist. I destroy post and marks on bearing trees.</p>	
	E. bet. Secs. 4 & 33.	
40.00	Set temp. Cor. to Secs. 33 & 34.	
	All trace of Cor. as described by the Surveyor General, has been destroyed by forest fire some years ago.	
80.00	The $\frac{1}{4}$ Sec. Cor. on S. Bdy. of Sec.34, which is a stone, marked & witnessed, as described by the Surveyor General.	
	Thence I run	
	W. on true line on S. Bdy. of Secs. 34.	
3.25	The Closing Cor. of Secs. 3 & 4.	
40.00	Set basalt stone, 14 x 8 x 5, 10 ins. in ground, for Cor. to Secs. 33 & 34, marked with 3 notches on E. & W. sides, from which,	
	A tamarack, 20 ins. diam., brs. N.17°E., 80 lks. dist., marked S.C., T.4 N., R.38 E., S.34, B.T.	
	A fir, 5 ins. diam., brs. N.57°W., 110 lks. dist., marked T.4 N., R.38 E., S.33, B.T.	
	From this Cor., the old Sec. Cor., established by me in 1899, brs. N.33°W., 72 lks. dist. I destroy all traces of it.	
80.00	The $\frac{1}{4}$ Sec. Cor. on S. Bdy., Sec.33.	
	Land; mountainous.	
	Soil; 3rd rate.	