

## Subdivisional Lines, T.3 S., R.31 E., W. M.

Chains		Feet
	E. on random line bet. Secs. 28 & 33. Var. 20°45'E.	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
79.88	Intersected N. & S. line, 22 lks. S. of Cor. to Secs. 27, 28, 33 & 34, from which Cor., I run S. 89°51' W. on true line bet. Secs. 28 & 33. Var. 22°30'E.	
39.94	Set stone, 12 x 10 x 6 on N.W. slope for $\frac{1}{4}$ Sec. Cor. A pine, 6 ins. diam., brs. N. 68°E., 28 lks. dist. A pine, 8 ins. diam., brs. S. 42°E., 15 lks. dist.	
43.50	Brook, 8 lks. wide, course N.W.	-350
79.88	The Cor. to Secs. 28, 29, 32 & 33. Land; surface broken. Soil; 2nd & 3rd rate. Heavy timber; pine, tamarack & fir.	
	NE bet. Secs. 28 & 29. Var. 20°45'E.	
9.00	Brook, 8 lks. wide, course W.	-100
40.00	Set granite stone, 18 x 12 x 5, on S. slope for $\frac{1}{4}$ Sec. Cor. A tamarack, 6 ins. diam., brs. N. 58°E., 34 lks. dist. A pine, 18 ins. diam. brs. N. 56°W., 24 lks. dist.	
44.50	Road, N.E. & S.W. to timber.	
66.50	Road, S.E. & N.W., along summit and to sawmill.	
71.00	Spring branch, course N.E.	
80.00	A tamarack, 8 ins. diam., on N.W. slope for Cor. to Secs. 20, 21, 28 & 29. A tamarack, 24 ins. diam., brs. N. 36°E., 93 lks. dist. A " 20 " " " S. 54°E., 86 " " A " 16 " " " S. 8°W., 58 " " A " 14 " " " N. 85°W., 69 " "	
	Land; surface irregular mountain summit. Soil; 2nd & 3rd rate. Good timber; with some open glades, pine, tamarack & fir.	
	E. on random line bet. Secs. 21 & 28. Var. 21°00'E.	