

Subdivisional Lines, T.3 S., R.31 E., W. M.

Chains		Feet
59.00	Road to sawmill	
80.75	The Cor. to Secs. 29, 30, 31 & 32. Land; surface undulating. Soil; 2nd rate. Good timber, but most of it cut away, pine, fir & tamarack.	
N. bet. Secs. 29 & 30.		
Var. 21°15'E.		
22.50	Road to sawmill, course N.E. & S.W.	
32.00	Leave timber, course E. & W.	
40.00	Set basalt stone, 20 x 14 x 5, on S.E. slope, for $\frac{1}{4}$ Sec. Cor.	
80.00	Set basalt stone, 15 x 10 x 10, on N.E. face of spur, for Cor. to Secs. 19, 20, 29 & 30. A pine, 4 ins; diam., brs. N.72°E., 91 lks. dist. A pine, 6 ins. diam., brs. S.86°E., 164 lks. dist. A pine, 30 ins. diam., brs. N.28°W., 212 lks. dist. No tree in Sec. 30. Land; surface undulating plateau. Soil; 2nd & 3rd rate. Heavy timber on S. 32 chs., pine, tamarack & fir. Good grass on prairie.	
E. on random line bet. Secs. 20 & 29.		
Var. 21°00'E.		
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
79.88	Intersected N. & S. line, 26 lks. S. of Cor. to Secs. 20, 21, 28 & 29, from which Cor., I run S.89°49' W. on true line bet. Secs. 20 & 29. Var. 21°00'E.	
33.00	Spring branch, course N.W.	-100
39.94	A tamarack, 16 ins. diam., on N. slope, for $\frac{1}{4}$ Sec. Cor. A fir, 20 ins. diam., brs. N.42°E., 38 lks. dist. A fir, 12 ins. diam., brs. S.13°W., 46 lks. dist.	
66.25	Brook, 6 lks. wide, course N.W.	-150
79.88	The Cor. to Secs. 19, 20, 29 & 30.	+300