

Resurvey of portion of the E. Bdy. of T. 4 N., R. 38 E., W.M.

Chains	Feet
	<p>Therefore the S. half of this line is 44.50 chs. in length and brs. S. 0° 34' W.</p> <p>Land; mountainous.</p> <p>Soil; 1st and 2nd rate.</p> <p>Timber, fir, pine, spruce</p> <p>Undergrowth, willow, maple and wild berry.</p> <p>Mountainous or heavily timbered land or land covered with dense undergrowth and exceptionally difficult to survey.</p> <p>84.84 chs.</p>
	<p>S. 0° 17' W. on a resurvey bet. Secs. 13 & 18</p> <p>Ascend along precipitous W. slope, through scattering timber and dense undergrowth.</p>
25.00	<p>Top of spur extending W. 150 ft. above sec. cor.</p> <p>Thence along W. slope</p>
40.00	<p>Intersect the old $\frac{1}{4}$ Sec. Cor. The post and bearing trees described by the surveyor general are destroyed. The stumps of the bearing trees alone remain. I re-establish the cor. at the same point, as follow:</p> <p>Set a lava stone, 12 x 12 x 8 ins., 8 ins. in the ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, and raised a mound of stone, 2 ft. base and 1 ft. and a half high W. of Cor.</p> <p>Therefore the N. half of this line is 40.00 chs. in length and brs. S. 0° 17' W. I continue the resurvey S. 0° 21' W. along W. slope, through scattering timber and dense undergrowth.</p>
39.00	<p>Begin descent</p>
43.00	<p>A spring branch, 2 lks. wide, course N. 65 lks. W., thence ascend.</p>
75.00	<p>Top of spur, 100 ft. high, extending W., thence descend.</p>
80.00	<p>Intersect the old cor. for Secs. 13, 18, 19 & 24, which is a basalt stone, 12 x 10 x 5 ins. marked as described by the surveyor general. The mound is destroyed. I re-establish the cor. at the same point, as follows:</p> <p>Set a lava stone, 12 x 8 x 6 ins. 8 ins. in the ground for cor. of secs. 13, 18, 19 & 24, marked with 3 notches</p>