

## Subdivisional Lines of T 4 N R 38 E., W.M.

Chains		Feet
	<p>on the E. and 4 notches on the S. edge; from which</p> <p>A fir, 24 ins. diam. brs. N. 62° 30' E., 68 lks. dist. marked T 4 N R 38 E S 12 B T</p> <p>A fir, 30 ins. diam. brs. S. 37° E., 90 lks. dist. marked T 4 N R 38 E S 13 B T</p> <p>A fir, 12 ins. diam. brs. S. 63° 30' W., 131 lks. dist., marked T 4 N R 38 E S 14 B T</p> <p>A fir, 24 ins. diam. brs. N. 48° W., 56 lks. dist. marked T 4 N R 38 E S 11 B T</p> <p>Land; rolling and mountainous</p> <p>Soil; 1st and 2nd rates.</p> <p>Timber, fir, pine, spruce</p> <p>Undergrowth, willow, maple and wild berry.</p> <p>Mountainous or heavily timbered land or land covered with dense undergrowth and exceptionally difficult to survey.</p> <p>80.00 Chs.</p>	
	<p>N. on a sectional guide meridian bet. Secs. 11 &amp; 12, along rolling ground through scattering timber and dense under- growth.</p>	
16.50	Begin steep descent of N. slope	
23.00	Cross over low spur, thence along the side of N.E. slope.	
40.00	<p>A tamarack, 10 ins. diam. for <math>\frac{1}{4}</math> Sec. Cor. I marked <math>\frac{1}{4}</math> S 11 on W. and 12 on E. face; from which</p> <p>A tamarack, 10 ins. diam. brs. S. 70° E., 24 lks. dist., marked <math>\frac{1}{4}</math> S 12 B T</p> <p>A tamarack, 16 ins. diam. brs. N. 85° W., 25 lks. dist. marked <math>\frac{1}{4}</math> S 11 B T</p>	
80.00	<p>Set a basalt stone, 12 x 8 x 8 ins., 8 ins. in the ground for Cor. of Secs. 1, 2, 11 &amp; 12, marked with 1 notch on E. and 5 notches on S. edge; from which</p> <p>A fir, 16 ins. diam. brs. N. 86° 30' E., 20 lks. dist., marked T 4 N R 38 E S 1 B T</p> <p>A fir, 12 ins. diam. brs. S. 34° E., 22 lks. dist. marked T 4 N R 38 E S 12 B T</p> <p>A fir, 16 ins. in diam. brs. S. 22° W., 22 lks. dist.</p>	