hains	\$forces
74.70	Spur, slopes N.; desc. 68 ft. over NW. slope.
76.68	South Fork of the Walla Walla River Trail, brs. NE. & SW.
78.48	South Frok of the Walla Walla River, 30 lks. wide, course SW.; asc. 50 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to solid rock and in mound of stone to top, for Cor. of lots 7 & 8, with brass cap marked
	\$30 718
	1932 from which
	A fir, 20 ins. diam., brs. N.30°E., 101 lks. dist., marked L 8 S 31 B T.
12.5	A fir, 26 ins. diam., brs. N.64°W., 62 lks. dist., marked L.7 S 31 B T.
	Continue to asc. 221 ft. over SE. slope.
87.51	The original standard Cor. of Tps. 5 N., Rs. 38 & 29 E., which is a yellow pine, 42 ins. diam., marked
31 30 <sup>31</sup>	SCT5NonN., R39ES3lonE., and R38ES36 on W. side,
	from which
	A fir, 14 ins. diam., brs. N.41°E., 37 lks. dist., marks grown over. (Old B.T.)
3	A pine, 24 ins. diam., brs. N.20°W., 13 lks. dist., marked T 5 N R 38 E S 36 S C B T. (Old B.T.)
	This is the original Cor. established by Geo. S. Pershin under Contract No. 304, in 1879. No evidence was found of the Cor. reestablished by Rufus S. Moore, under Contract No. 437, in 1882.
	Land; mountainous.
14.47	Soil; sandy loam, rocky, 3rd & 4th rates. Timber; fir, pine, spruce & tamarack. Undergrowth; vinemaple, alder, willow, huckleberry, rose,
e is	laurel, mountain ash, Oregon grape and buck brush.
	Subdivisional Lines T 4 N R 39 E W M.,
	As surveyed by Frank W. Campbell, U.S. Deputy Surveyor, Under Contract No. 498, Dated March 10, 1884.
	W. on random line bet. Secs. 18 & 19.
	Var.21°E.
40.00	Set temp. 2 Sec. Cor.
118.60	Intersect W. Bdy. of Tp., 79 lks. S. of Cor. to Sees. 13,
	19 & 24, which is a post, 4 ins. sq., marked T 4 N S 18
10.00	

on NE., R 39 E S 19 on SE., R 38E S 24 on SW. and S 13