

Exterior Lines of T. 4 S., R. 29 E., W.M.

Chains		Feet
	<p>level in open glade, marked <math>\frac{1}{4}</math> on N. face for <math>\frac{1}{4}</math> Sec. Cor. from which,</p> <p>A Pine 48 ins. diam. brs. N. 24° E. 174 lks. dist. No trees on S. side.</p>	
59.50	A brook, 12 lks. wide, course, S.	
78.72	<p>Set a basalt stone 18 x 10 x 5 ins. 12 ins. in ground for Cor. to Secs. 31, 32, 5 and 6, marked with 5 notches on E. and 1 notch on W. edges, from which</p> <p>A Pine 8 ins. diam. brs. N. 36° E. 134 lks. dist. marked T. 4 S., R. 30 E., S. 32 B.T.</p> <p>A Pine 28 ins. diam. brs. S. 70° E., 179 lks. dist. marked T. 5 S., R. 30 E., S. 5 B.T.</p> <p>A Pine 24 ins. diam. brs. S. 54° W. 102 lks. dist. marked T. 5 S., R. 30 E., S. 6 B.T.</p> <p>A Pine 20 ins. diam. brs. N. 78° W. 102 lks. dist. marked T. 4 S., R. 30 E., S. 31 B.T.</p> <p>Land; surface rolling, Soil; 3rd and 2nd rate; Pine, Tamarack and Fir timber with open glades.</p>	
	<p>S. 89° 51' E. on a true line along the S. Bdy of Sec. 32, Var. 20° 30' E.</p> <p>Undulating,</p>	
40.00	<p>A Tamarack 5 ins., diam. on N.E. slope for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> S. on N. face,</p> <p>A Tamarack 4 ins. diam. brs. N. 38° W. 12 lks. dist. marked <math>\frac{1}{4}</math> S.B.T.</p> <p>A Fir 6 ins. diam. brs. S. 50° E. 5 lks. dist. marked <math>\frac{1}{4}</math> S.B.T.</p>	
80.00	<p>Set a basalt stone 18 x 10 x 5 ins., 12 ins. in ground on level for Cor. to Secs. 32, 33, 4 and 5, marked with 4 notches on E. and 2 notches on W. edges,</p> <p>A Pine 16 ins. diam. brs. N. 68° E. 180 lks. dist. marked T. 4 S., R. 30 E., S. 33 B.T.</p> <p>A Pine 20 ins. diam. brs. S. 72° E., 149 lks. dist. marked T. 5 S., R. 30 E., S. 4 B.T.</p> <p>A Pine 24 ins. diam. brs. S. 53° W. 67 lks. dist. marked T. 5 S., R. 30 E., S. 5 B.T.</p> <p>A Pine 20 ins. diam. brs. N. 64° W. 42 lks. dist. marked T. 4 S., R. 30 E., S. 32 B.T.</p> <p>Land; surface rolling, Soil; 3rd and 2nd rate; dense young timber, Pine, Tamarack &amp; Fir and underbrush, Pine, Fir, Tamarack with some open glades.</p>	
	<p>S. 89° 51' E. on a true line along the S. Bdy. of Sec. 33, Var. 20° 15' E.</p>	
40.00	<p>Set a basalt stone 14 x 12 x 6 ins. 10 ins. in ground on level for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on N. face,</p>	