

Subdivisional Lines of T. 4 S., R. 30 E. W. M.

Chains		Feet
	<p>A Pine 8 ins. diam. brs. N. 38° E. 55 lks. dist. marked T. 4 S., R. 30 E., S. 7 B.T.</p> <p>A Pine 30 ins. diam. brs. S. 64° E. 26 lks. dist. marked T. 4 S., R. 30 E., S. 18 B.T.</p> <p>A Tamarack 18 ins. diam. brs. S. 60° W. 30 lks. dist. marked T. 4 S., R. 29 E., S. 13 B.T.</p> <p>A Pine 14 ins. diam. brs. N. 28° W. 43 lks. dist. marked T. 4 S., R. 29 E., S. 12 B.T.</p> <p>Thence I run, S. 89° 19' E. on a true line bet. Sec. 7 and 18 Var. 20° 30' E.</p>	
38.25	<p>Set a basalt stone 15 x 10 x 5 ins. 10 ins. in ground on level, on small bench, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face.</p> <p>A Pine 36 ins. diam. brs. N. 37 lks. dist. marked $\frac{1}{4}$ S.B.T.</p> <p>A Pine 22 ins. diam. brs. S. 52° E. 22 lks. dist. marked $\frac{1}{4}$ S., B.T.</p>	
38.25	<p>The Cor. to Secs. 7, 8, 17 and 18. Land; surface mountainous. Soil; 2nd and 3rd rate, heavily timbered with Pine, Tamarack and Fir. Open glades on E. $\frac{1}{2}$ mile.</p>	
	<p>N. bet. Secs. 7 and 8, Var. 20° 00' E.</p>	
9.00	Enter scattering timber, course E. and W.	
12.00	Drop to W. slope	
40.00	<p>Set a basalt stone 14 x 10 x 7 ins. 10 ins. in ground on W. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face.</p> <p>A Pine 10 ins. diam. brs. S. 36° E. 96 lks. dist. marked $\frac{1}{4}$ S. B.T.</p> <p>A Pine 36 ins. diam. brs. N. 64° W. 72 lks. dist. marked $\frac{1}{4}$ S., B.T.</p>	
80.00	<p>Set a basalt stone 14 x 8 x 6 ins. 10 ins. in ground on N. slope for Cor. to Secs. 5, 6, 7 and 8, marked with 5 notches on S. and E. edges,</p>	