

Subdivisional Lines of T. 4 S., R. 31 E. W.M.

Chains		Feet
	stone for $\frac{1}{4}$ Sec. Cor.	
80.46	The Cor. to Sec. 19, 20, 29 and 30, Land; surface rolling, Soil; 3rd and 2nd rate. Good grass. Some little scattering Pine timber. Mostly grazing land. Oct. 28, 1880	
	W. on a random line bet. Sec. 19 and 30. Var. 21° 00' E	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
79.02	Intersected W. Bdy, 34 lks. N. of Cor. to Sec. 19 and 30, from which Cor. I run, N. 89° 45' E. on a true line bet. Secs. 19 and 30. Var. 19° 30' E.	
28.00	Leave timber, course N. and S.	
39.02	Set basalt stone 14 x 12 x 10 in mound of stone on slight E. slope for $\frac{1}{4}$ Sec. Cor.	
79.02	The Cor. to Sec. 19, 20, 29 and 30. Land; surface rolling, Soil; 2nd and 3rd rate. About $\frac{1}{2}$ distance Pine, Tamarack and Fir timber. Remainder open. Good grass. Small part farming land. Sec. 19 is nearly all grazing land.	
	N. bet. Sec. 19 and 20 Var. 21° 00' E.	
16.00	Enter heavy timber, course N.W. and S.E.	
40.00	Set basalt stone 18 x 12 x 7 on E. slope for $\frac{1}{4}$ Sec. Cor. A Pine 40 ins. diam. brs. N. 14° E. 57 lks. dist. A Pine 28 ins. diam. brs. N. 30° W. 151 lks. dist.	
64.00	Spring branch, course E.	
71.00	Leave timber, course E. and W.	
80.00	Set Basalt stone 18 x 12 x 10 and post in mound of stone on E. slope for Cor. to Secs. 17, 18, 19 and 20. Land; surface rolling, Soil; 3rd and 2nd rate, mostly heavy Pine, Tamarack &	