Subdivisional Lines of T. 4 S., R. 31 E., W.M.

Chains		Feet
	Var. 20° 30' E.	
40.15	Set basalt stone 14 x 12 x 10 on E. slope for ½ Sec. Cor.	
	A Fir 13 ins. diam. brs. N. 12° E. 11 lks. dist.	
	" Pine 16 ins. diam. brs. S. 72 lks. dist.	
80.30	The Cor. to Sec. 5, 6, 7 and 8.	
	Land; surface rolling and slopes E.	
	Soil; 3rd and 2nd rate, scattering groves of Pine timber.	
	Good grass.	

W. on a random line bet. Sec. 6 and 7.

Chains		Feet
	Var. 20° 15' E.	
40.00	Set post for temp. ¼ Sec. Cor.	
79.82	Intersected W. Bdy. 53 lks. N. of Cor. to Sec. 6 and 7,	
	from which Cor. I run,	
	N. 89° 37' E. on a true line bet. Sec. 6 and 7.	
	Var. 21° 45' E.	
39.82	Set basalt stone 16 x 10 x 8 in mound of stone on S.W.	
	slope of knoll for ¼ Sec. Cor.	
79.82	The cor. to Secs. 5, 6, 7 and 8.	
	Land; surface rolling,	
	Soil; 3rd and 2nd rate, mostly open. A few scattering	
	Pine at E. and W. ends. Good grass, about ¼ of Sec.	
	6 is good farming land.	

N. on a random line bet. Sec. 5 and 6.

Chains		Feet
	Var. 20° 15' E.	
40.00	Set post for temp. ¼ Sec. Cor.	
66.26	Intersected N. Bdy., 96 lks. W. of Cor. to Sec. 5 and 6	
	from which Cor. I run,	
	S. 00° 41' W. on a true line bet. Sec. 5 and 6.	
	Var. 21° 15' E.	
26.26	Set Fir post on N. slope for ¼ Sec. Cor.	
	A Fir 10 ins. diam. brs. S. 75° E. 5 lks. dist.	
	" Pine 15 ins. " " N. 52° W. 42 lks. dist.	
43.00	Leave heavy timber	