

## Subdivisional Lines, T.4 S., R.32 E., W. M.

Chains 40.04	Set basalt stone, 16 x 12 x 8, on level, in brook bottom, for $\frac{1}{4}$ Sec. Cor.  A spruce, 14 ins. diam., brs. N., 27 lks. dist. A fir, 12 ins. diam., brs. S.40°W., 47 lks. dist.
66.00	A spring branch, course S.
80.08	The Cor. to Secs. 14, 15, 22 & 23.  Land; surface rolling.  Soil; 3rd & 2nd rate.  Heavy pine, tamarack & fir timber, with open glades.  June 18, 1881.
N. bet. Secs. 14 & 15.  Var. 20°00'E.	
40.00	Set basalt stone, 16 x 10 x 5, on W. hillside, for $\frac{1}{4}$ Sec. Cor.  A pine, 8 ins. diam., brs. N.63°E., 56 lks. dist. A " 18 " " " S.76°W., 60 " "
62.00	A brook, 6 lks. wide, course W.
80.00	Set basalt stone, 18 x 10 x 4, on S.E. slope, for Cor. to Secs. 10, 11, 14 & 15.  A fir, 8 ins; diam., brs. N.72°E., 45 lks. dist. A pine, 10 ins. diam., brs. S.35°E., 48 lks. dist. A " 7 " " " S.21°W., 25 " " A " 16 " " " N.35°W., 80 " "
Land; surface rolling and part broken.  Soil; 3rd & 2nd rate.  Heavy pine, tamarack & fir timber, with some open glades.  Thick underbrush in places.	
E. on random line bet. Secs. 11 & 14.  Var. 19°15'E.	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.
80.12	Intersected N. & S. line, 34 lks. S. of Cor. to Secs. 11, 12, 13 & 14, from which Cor., I run S.89°45'W. on true line bet. Secs. 11 & 14.  Var. 19°00'E.