

Subdivisional Lines, T.4 S., R.33 E., W. M.

Chains	
62.25	A spring branch, course E.
72.00	" " " " S.E.
79.82	Intersected N. Bdy., 28 lks. W. of Cor. to Secs. 2 & 3. Thence I run S.00°12'W. on true line bet. Secs. 2 & 3. Var.20°30'E.
39.82	Set basalt stone, 16 x 18 x 7 ins., 11 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which A pine, 12 ins. diam., brs. N.77°E., 126 lks. dist., marked $\frac{1}{4}$ S., B.T. No other greentree near; raised mound of stone along- side of Cor. in lieu of pits.
79.82	The Cor. to Secs. 2, 3, 10 & 11. Land; surface slightly undulating. Soil; 3rd & 2nd rate. Mostly open, some groves of timber and some dense young timber. Sept. 15, 1881.
	N. bet. Secs. 33 & 34. Var.18°30'E.
9.00	Leave creek bottom, enter timber & begin to ascend.
40.00	Set basalt stone, 18 x 8 x 5 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which A pine, 14 ins. diam., brs. N.9°E., 53 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 16 ins. diam., brs. N.11°W., 44 lks. dist., marked $\frac{1}{4}$ S., B.T.
80.00	A point, 400 ft. above creek bottom. Set basalt stone, 20 x 10 x 5 ins., 15 ins. in ground, for Cor. to Secs. 27, 28, 33 & 34, marked with 1 notch on S. and 3 notches on E. edges, from which A tamarack, 28 ins. diam., brs. N.46°E., 50 lks. dist., marked T.4 S., R.33 E., S.27, B.T. A pine, 6 ins. diam., brs. S.60°E., 50 lks. dist., marked T.4 S., R.33 E., S.34, B.T.