

Subdivisional Lines, T.4 S., R.33 E., W. M.

Chains	
	marked $\frac{1}{4}$ S., B.T.
79.64	The Cor. to Secs. 21, 22, 27 & 28. Land; surface rolling, broken at brook. Soil; 3rd rate. Heavy pine, tamarack & fir timber, with open glades.
	N. bet. Secs. 21 & 22. Var. 20°45'E.
28.50	Wagon road to hot springs, course N.20°W. & S.20°E.
40.00	Set basalt stone, 20 x 12 x 8 ins., 15 ins. in ground, in large open glades, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side Raised mound of stone alongside in lieu of pits.
46.25	Same wagon road, N.15°E.
80.00	Set basalt stone, 16 x 12 x 8 ins., 11 ins. in ground, for Cor. to Secs. 15, 16, 21 & 22, marked with 3 notches on S. and 3 notches on E. edges, from which A tamarack, 8 ins. diam., brs. N.28°E., 43 lks. dist., marked T.4 S., R.33 E., S.15, B.T. A tamarack, 10 ins. diam., brs. S.58°E., 113 lks. dist., marked T.4 S., R.33 E., S.22, B.T. A tamarack, 10 ins. diam., brs. S.53°W., 73 lks. dist., marked T.4 S., R.33 E., S.21, B.T. A pine, 6 ins. diam., brs. N.43°W., 23 lks. dist., marked T.4 S., R.33 E., S.16, B.T. Land; surface slightly undulating. Soil; 2nd & 3rd rate. Pine, tamarack & fir timber & fir timber with open glades.
	E. on random line bet. Secs. 15 & 22. Var. 18°30'E.
6.50	Wagon road to springs N. & S.
38.25	A spring branch, course S.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
79.78	Intersected N. & S. line, 18 lks. N. of Cor. to Secs. 14, 15, 22 & 23. Thence I run