

## Subdivisional Lines, T.4 S., R.33 E., W. M.

Chains	<p>A pine, 8 ins. diam., brs. S.48°E., 62 lks. dist., marked T.4 S., R.33 E., S.33, B.T.</p> <p>A pine, 36 ins. diam., brs. S.17°W., 49 lks. dist., marked T.4 S., R.33 E., S.32, B.T.</p> <p>A pine, 20 ins. diam., brs. N.36°W., 73 lks. dist., marked T.4 S., R.33 E., S.29, B.T.</p> <p>Land; surface rolling &amp; broken.</p> <p>Soil; 3rd &amp; 2nd rate, and a small part on creek bottom, 1st rate.</p> <p>Mostly heavy pine, tamarack &amp; fir timber.</p>
	<p>E. on random line bet. Secs. 28 &amp; 33.</p> <p style="text-align: right;">Var. 22°00'E.</p> <p>Rolling and broken surface.</p>
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
79.38	<p>Intersected N. &amp; S. line, 26 lks. S. of Cor. to Secs. 27, 28, 28, 33 &amp; 34.</p> <p>Thence I run S.89°49' W. on true line bet. Secs. 28 &amp; 33.</p> <p style="text-align: right;">Var. 20°15'E.</p>
39.69	<p>Set basalt stone, 16 x 12 x 5 ins., 11 ins. in ground, for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on N. side, from which</p> <p>A pine, 30 ins. diam., brs. N.18°E., 82 lks. dist., marked <math>\frac{1}{4}</math> S., B.T.</p> <p>A pine, 10 ins. diam., brs. S.3°W., 41 lks. dist., marked <math>\frac{1}{4}</math> S., B.T.</p>
79.38	<p>The Cor. to Secs. 28, 29, 32 &amp; 33.</p> <p>Land; surface rolling &amp; broken.</p> <p>Soil; 2nd &amp; 3rd rate.</p> <p>Mostly heavy pine, tamarack &amp; fir timber.</p>
	<p>N. bet. Secs. 28 &amp; 29.</p> <p style="text-align: right;">Var. 22°00'E.</p>
24.00	Ravine, 100 ft. deep, course W.
40.00	<p>Set basalt stone, 14 x 12 x 4 ins., 10 ins. in ground, for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on W. face, from which</p> <p>A pine, 24 ins. diam., brs. N.28°E., 74 lks. dist., marked <math>\frac{1}{4}</math> S., B.T.</p>