

## Subdivisional Lines, T.4 S., R.33 E., W. M.

Chains	<p>A tamarack, 8 ins. diam., brs. S.54°E., 12 lks. dist., marked T.4 S., R.33 E., S.32, B.T.</p> <p>A tamarack, 8 ins. diam., brs. S.34°W., 18 lks. dist., marked T.4 S., R.33 E., S.31, B.T.</p> <p>A pine, 10 ins. diam., brs. N.48°W., 26 lks. dist., marked T.4 S., R.33 E., S.30, B.T.</p> <p>Land; surface rolling.</p> <p>Soil; 2nd rate.</p> <p>Mostly heavy pine, tamarack &amp; fir timber, with some large openings.</p>
	<p>E. on random line bet. Secs. 29 &amp; 32.</p> <p style="text-align: right;">Var.20°15'E.</p>
6.00	Foot of bluff, creek bottom, course N.W. & S.E. Descent 80 ft.
8.50	Camas Creek, 40 lks. wide, course N.W.
25.50	A spring branch, course S.W.
32.00	Leave creek bottom, N.W. & S.E.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
79.62	Intersected N. & S. line, 40 lks. N. of Cor. to Secs. 28, 29, 32 & 33. Elevation 200 ft.
	Thence I run
	S.89°43'W. on true line bet. Secs. 29 & 32.
	Var.22°00'E.
39.81	Set basalt stone, 14 x 12 x 6 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. side, from which
	A pine, 8 ins. diam., brs. N.36°E., 42 lks. dist., marked $\frac{1}{4}$ S., B.T.
	A pine, 16 ins. diam., brs. S.56°W., 50 lks. dist., marked $\frac{1}{4}$ S., B.T.
79.62	The Cor. to Secs. 29, 30, 31 & 32.
	Land; surface, creek bottom level, upland broken.
	Soil; 3rd & 1st rate.
	Mostly heavy pine, tamarack & fir timber, with some open glades.
	Some alder & willow brush in bottom.