

## Subdivisional Lines, T.4 S., R.33 E., W.M.

Chains	W. on random line bet. Secs. 30 & 31. Var. 20°15'E.
	Along N. face of bluff.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
64.00	Camas Creek, 50 lks. wide, course N.75°W.
68.00	Leave creek, descent 100 ft.
79.68	Intersected W. Bdy., 34 lks. N. of Cor. to Secs. 30 & 31 ascent 200 ft.
	Thence I run N.89°45'E. on true line bet. Secs. 30 & 31. Var. 21°00'E.
39.68	Set basalt stone, 20 x 6 x 5 ins., 15 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. side. A fir, 12 ins. diam., brs. N.48°W., 30 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 6 ins. diam., brs. S.50°W., 39 lks. dist., marked $\frac{1}{4}$ S., B.T.
	Land; surface very broken. Soil; 3rd rate. Heavy timber, pine, tamarack & fir, a few open glades. Sept. 22, 1881.
	<u>Note:</u> I do not deem it necessary, nor as being comprehended in the intent of the general instructions, to give a de- scription of the Cors. on the W. Bdy., as I set them, myself, only a few months ago. I therefore omit it.
	N. bet. Secs, 29 & 30. Var. 20°15'E.
	Steep descent.
5.00	Foot of bluff, course S.E. & N.W. Descent 80 ft.
9.50	Camas creek, 25 lks. wide, course N.W.
14.00	Leave creek, <del>bottom</del> begin ascent.
32.00	On spur, ascent 200 ft.
40.00	Set basalt stone, 12 x 10 x 8 ins., 8 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side, from which