Chains	
	Thence I run
	N.89°51'W. on true line bet. Secs. 20 & 29.
40.00	Set basalt stone, 13 x 11 x 6 ins., 9 ins. in ground,for ¼
	Sec. Cor., marked ¼ on W. face, from which
	A pine, 24 ins. diam.,brs. N.42°E., 22 lks. dist.,
	marked ¼ S.,B.T.
	A pine, 40 ins. diam.,brs. S.52°E., 27 lks. dist.,
	marked ¼ S.,B.T.
80.00	The Cor. to Secs. 19, 20, 29 & 30.
	Land; mountainous & rolling.
	Soil; 2nd rate.
	Timber; pine, fir & tamarack.

	W, on random line bet. Secs. 19 & 30.
	Var.19°45'E.
2.00	Leave opening and enter timber, brs. N.W. & S.E.
5.85	Spring branch, 5 lks. wide, runs N.75°W.
40.00	Set temp. ¼ Sec. Cor.
47.08	Spring branch, 3 lks. wide, runs S.W., 40 ft. below ¼ Sec. Cor.
80.52	Intersect W. Bdy. of Tp., 44 lks. N. of Cor. to Secs. 19, 24
	24, 25 & 30, which is a basalt stone, 15 x 10 x 8 ins.,
	firmly set in ground, firmly set in ground, marked with
	4 notches on N. and 2 notches on S. edges, from which
	A pine, 30 ins. diam.,brs. S.56°W., 113 lks. dist.,
	marked T.4 S.,R.33½ E.,S.25,B.T. and mound of stone
	alongside.
	Thence I run
	N.89°41'E. on true line bet. Secs. 19 & 30, with same Var.
40.52	Set basalt stone, 18 x 12 x 5 ins., 12 ins. in ground,for
	¼ Sec. Cor., marked ¼ on N. face, from which
	A pine, 40 ins. diam.,brs. N.25°E., 226 lks. dist.,
	marked ¼ S.,B.T.
	A pine, 34 ins. diam., brs. S.70°E., 81 lks. dist.,
	marked ¼ S.,B.T.
80.52	The Cor. to Secs. 19, 20, 29 & 30.