

7.

Retracement W. Bdy., T 5 N R 38 E W M.

Chains	
	and bunchgrass.
	Mountainous land, 80.00 chs.
	<hr/>
	N.1°20' W. on W. Bdy. of Sec. 18.
	Ascending steep, stony hill through scattering timber; brs. E. & W.
14.85	Stream, 3 lks. wide, runs S.W.
17.00	Top of mountain; thence over level land through heavy timber.
34.00	Leave heavy timber bearing E. & W.; enter old burn, gradu- ally descending W. slope.
40.00	A point, 650 ft. above Sec. Cor. and set an ironstone, 20 x 10 x 6 ins., 15 ins. in ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W. face; raised mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of Cor. Pits impracticable.
72.68	Foot; branch, 5 lks. wide, runs S.80°W. Leave old burn and ascend through scattering timber; hill brs. E. & W.
87.13	A point, 100 ft. above X Sec. Cor. of Secs. 7, 12, 13, & 18, which is a fir post, 4 ins. sq., badly decayed; witness trees dead & fallen.
	I set fir post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for Cor. of Secs. 7, 12, 13, & 18, marked
	T 5 N S 7 on N.E.
	R 38 E S 18 on N.E.
	R 37 E S 13 on S.W. and
	S 12 on N.W. faces; with
	2 notches on N. and
	4 notches on S. edges;
	from which
	A tamarack, 10 ins. diam., brs. N.79°E., 21 lks. dist., marked T 5 N R 38 E S 7 B T.
	A tamarack, 10 ins. diam., brs. S.84°E., 15 lks. dist., marked T 5 N R 38 E S 18 B T.
	A tamarack, 12 ins. diam., brs. S.27 $\frac{1}{2}$ °W., 52 lks. dist., marked T 5 N R 37 E S 13 B T.
	A tamarack, 8 ins. diam., brs. N.41°W., 31 lks. dist., marked T 5 N R 37 E S 12 B T.
	Land; level, hilly & mountainous.