

Subdivisional Lines, T 5 N R 38 E W M.

Chains

73.25 Foot of descent in ravine, course S.40°W.; ascend steep hill; brs. N.50°E. and S.50°W.

78.00 Leave timber; brs. N.E. & S.W.

80.00 A point, 300 ft. above $\frac{1}{4}$ Sec. Cor. and
 Set basalt stone, 20 x 10 x 8 ins., 15 ins. in ground, for Cor. to Secs. 23, 24, 25 & 26, marked with 1 notch on E. and 2 notches on S. edges; from which
 A fir, 12 ins. diam., brs. N.66 $\frac{1}{2}$ °E., 2 chs., 18 lks. dist., marked T 5 N R 38 E S 24 B T.
 A fir, 12 ins. diam., brs. S.72°E., 272 lks. dist., marked T 5 N R 38 E S 25 B T.
 A fir, 15 ins. diam., brs. S.15°W., 108 lks. dist., marked T 5 N R 38 E S 26 B T.
 No tree in limit N.W. and I raise mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of Cor.
 Land; mountainous.
 Soil; stony, 4th rate.
 Timber; pine, fir, tamarack & spruce.
 Undergrowth; pine, fir, tamarack, spruce, chaparral; alder, willow and bunch grass.
 Mountainous land, 80.00 chs.

S.89°58' E. on random line bet. Secs. 24 & 25.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.02 A point, 1400 ft. below Sec. Cor. W. and
 Intersect E. Bdy. of Tp., 3 lks. S. of Cor. of Secs. 19, 24, 25 & 30, reestablished by me, July 20, 1899, a basalt stone, 8 x 6 x 5 ins., above ground, marked & witnessed as described in notes of resurvey returned to the surveyor general.
 Thence I run
 N.89°59'W. on true line bet. Secs. 24 & 25.
 Descending steep, rocky slope, through scattering timber;
 hill brs. N.W. & S.E.