

Subdivisional Lines, T 5 N R 38 E W M.

Chains	
	A fir, 18 ins. diam., brs. S.27°W., 50 lks. dist., marked $\frac{1}{4}$ S 10 B T.
44.35	A pine, 28 ins. diam., on line, I mark with 2 notches on N. & S. sides.
46.50	Top of ridge; brs. E. & W. Descend steep hill, brs. N.40°E. & S.40°W.
54.54	A tamarack, 15 ins. diam., on line, I mark with 2 notches on N. & S. sides.
57.00	Hill brs. N.10°E. and S.10°W.
61.79	A tamarack, 20 ins. diam., on line, I mark with 2 notches on N. & S. sides.
62.25	Hill brs. N.50°W. & S. 50°E.
67.50	Abrupt descent of breaks of Walla Walla River, brs. N.70°E. and S.70°W.
69.75	N. Fork of Walla Walla River, 75 lks. wide, runs S.70°W. Thence gradual ascent; scant undergrowth.
77.50	Stream, 4 lks. wide, runs S.10°W. Trail brs. E. & W.
80.00	A point, 200 ft. below $\frac{1}{4}$ Sec. Cor. and Set basalt stone, 24 x 15 x 12 ins., 18 ins. in ground, for Cor. of Secs. 2, 3, 10 & 11, marked with 5 notches on S. and 2 notches on E. edges; from which A fir, 24 ins. diam., brs. N.55°E., 59 lks. dist., marked T 5 N R 38 E S 2 B T. A fir, 20 ins. diam., brs. S.52°E., 20 lks. dist., marked T 5 N R 38 E S 11 B T. A fir, 12 ins. diam., brs. S.51°W., 30 lks. dist., marked T 5 N R 38 E S 10 B T. A fir, 20 ins. diam., brs. N.24°W., 57 lks. dist., marked T 5 N R 38 E S 3 B T. Land; hilly & mountainous. Soil; part arable, gravelly loam and stony, 2nd, 3rd, & 4th rates. Heavily timbered with fir, tamarack, pine, spruce & yew, 75.00 chs.