Subdivisional Lines, T 5 N R 38 E W M.

Chains	
	By Deputy Geo. R. Campbell.
	N.0°4' W. bet. Secs. 28 & 29.
	Descend gradually along W. slope through timber and dense undergrowth.
6.75	Branch, 15 lks. wide, runs W.
	Ascend.
12.50	Ravine, 100 ft. deep, course W.
17.50	Enter dead timber, brs. E. & W.
31.50	Ravine, course S.W.
	Thence through belt of live timber, 1 ch. wide, brs. N.E. and S.W.
36.50	Top of point, brs. N.50°E. and S.50°W.
	Descend.
40.00	A point, 300 ft. above Sec. Cor. and
	Set basalt stone, 12 x 10 x 6 ins., 8 ins. in ground, for ¼ Sec. Cor., marked ¼ on W. face; from which
	A fir, 12 ins. diam., brs. N.20°E., 70 lks. dist., marked ¼ S 28 B T.
	No other tree in limits and I raise mound of stone, 2 ft. base, 1½ ft. high, W. of Cor. Pits impracticable.
46.00	Ridge, brs. N.30°W. and S.30°E.
	Steep descent brs. N.W. & S.E.
55.00	Enter partially live timber.
63.50	Foot of hill.
	Stream, 5 lks. wide, runs N.30°W.
	Ascend along hillside, brs. N.30°W. & S.30°E.
79.00	Ridge, brs. W.
80.00	A point, 300 ft. below ¼ Sec. Cor. and
	Set basalt stone, 15 x 10 x 10 ins., 10 ins. in ground, for Cor. of Secs. 20, 21, 28 & 29, marked with 2 notches on S. and 4 notches on E. edges; from which
	A fir, 15 ins. diam., brs. N.1°E., 2 chs., 20 lks. dist., marked T 5 N R 38 E S 21 B T.
	A fir, 15 ins. diam., brs. N.3°W., 1 ch., 94 lks. dist., marked T 5 N R 38 E S 20 B.T.