

Subdivisional Lines, T 5 N R 38 E W M.

Chains	
	August 10: S.89°47'E. on random line bet. Secs. 9 & 16.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
79.60	Intersect N. & S. line, 30 lks. S. of Cor. of Secs. 9, 10, 15 & 16.
	Thence I run W. on true line bet. Secs. 9 & 16. Ascending through timber; hill brs. N.30°E. & S.30°W.
.05	Leave timber, brs. N. & S.
1.50	Ridge-point, brs. N.20°W. and S.20°E.
2.50	Enter heavy timber, brs. N.30°W. and S.30°E.
2.75	Rill, 1 lk. wide, runs S.30°E. Ascend. Hill brs. N. & S.
18.25	Leave timber, brs. N.20°W. & S.W.
19.50	Ridge-point, brs. N. & S. Descend S.W. slope.
26.25	Enter timber, brs. N. & S.
26.75	Bottom of ravine, course S. Ascend steep slope, brs. N. & S.
39.75	Enter scattering timber.
39.80	A point, 1000 ft. above Sec. Cor. and Set an ironstone, 30 x 15 x 6 ins., 18 ins. in ground, (strike rock and place mound of stone firmly about Cor.), for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face; from which A fir, 15 ins. diam., brs. N.17°E., 42 lks. dist., marked $\frac{1}{4}$ S 9 B T. A fir, 20 ins. diam., brs. S.35°E., 88 lks. dist., marked $\frac{1}{4}$ S 16 B T.
43.50	Ridge-point, brs. N.30°E. and S. 30°W. Descend steep slope W.
51.75	Rill, 1 lk. wide, runs S.10°W. Ascend S.E. slope.
54.50	Point, 100 ft. high. Descend S.W. slope.