

Subdivision of T 5 N., R. 39 E., W.M.

Chains		Feet
	N.0°05'W., bet. secs. 29 & 30. Desc. 587 ft. over broken NW. slope, through heavy second growth timber and dense undergrowth.	
24.15	Spring branch, 2 lks. wide, course W.	
26.20	Spring branch, 3 lks. wide, course W.	
26.90	Spring branch, 1 lk. wide, course N. 70° W.	
29.05	Creek, 10 lks. wide, course W.; asc. 58 ft. over SW. slope.	
37.50	Spur, slopes W.; desc. 25 ft. over NW. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., with brass cap marked	
	$\begin{array}{c} \frac{1}{4} \\ \uparrow \\ \text{S30} \mid \text{S29} \\ \downarrow \\ 1932 \end{array}$	
	from which /	
	A fir, 14 ins. diam., brs. N. 52° E., 54 lks. dist., marked $\frac{1}{4}$ S 29 B T.	
	A fir, 8 ins. diam., brs. S. 50° W., 22 lks. dist., marked $\frac{1}{4}$ S 30 B T.	
40.05	Creek, 2 lks. wide, course W.; continue to desc. 27 ft. over NW. slope	
42.00	Creek, 8 lks. wide, course W.; asc. 329 ft. over broken SW. slope.	
65.20	Spur, slopes W.; desc. 86 ft. over NW. slope.	
67.80	Ravine, course W.; asc. 84 ft. over SW. slope	
72.75	Spur, slopes W.; desc. 108 ft. over NW. slope	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to solid rock and in a mound of stone to top, for cor. of secs. 19, 20, 29, and 30, with brass cap marked	
	$\begin{array}{c} \text{T5N R39E} \\ \text{S19} \mid \text{S20} \\ \text{S30} \mid \text{S29} \\ \downarrow \\ 1932 \end{array}$	
	from which	
	A fir, 20 ins. diam., brs. N. 21° E., 52 lks. dist., marked T 5 N R 39 E S 20 B T.	
	A fir, 14 ins. diam. brs. S. 7° E., 234 lks. dist., marked T 5 N R 39 E S 29 B T.	
	A fir, 24 ins. diam., brs. S. 26 $\frac{1}{2}$ ° W., 81 lks. dist., marked T 5 N R 39 E S 30 B T.	
	A fir, 8 ins. diam., brs. N. 70 $\frac{1}{2}$ ° W., 30 lks. dist., marked T 5 N R 39 E S 19 B T. ✓	
	Land, mountainous.	