

Subdivision of T 5 N., R. 39 E.

Chains		Feet
	<p>Soil, sandy loam, rocky; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, willow, huckleberry, alder, vinemaple, rose, Oregon grape, fern, syringa, buck brush and fern.</p> <hr/> <p>West, on true line bet. secs. 18 & 19.</p> <p>Desc. 541 ft. over broken W. slope, through heavy second growth timber and dense undergrowth.</p>	
13.70	Continue to desc. 297 ft. over NW. slope.	
22.05	South Fork of the Walla Walla River,, 30 lks. wide, course SW.; asc. 488 ft. over broken E. slope.	
22.60	South Fork of the Walla Walla River Trail, bears NE. and SW.	
40.00	Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked	
	$\frac{1}{4} \begin{array}{l} S 18 \\ S 19 \end{array}$ 1935	
	from which	
	A fir, 10 ins. diam., bears N. 7°W., 77 lks. dist., marked $\frac{1}{4}$ S 18 B T	
	A fir, 22 ins. diam., bears S. 34°E., 38 lks. dist., marked $\frac{1}{4}$ S 19 B T.	
	Continue to asc. 194 ft. over broken E. slope.	
44.90	Spur, slopes SE.; continue to asc. 525 ft. over broken SE. slope.	
80.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to solid rock and in a mound of stone to top, for cor. of lots 1, 2, 7 & 8, with brass cap marked	
	$\begin{array}{c} S 18 \\ 7 \quad \quad 8 \\ E \quad \quad I \\ S 19 \\ 1935 \end{array}$	
	from which	
	A fir, 12 ins. diam. brs. N. 36° E., 75 lks. dist., marked L 8 S 18 B T	
	A fir, 14 ins. diam., brs. S. 13° W., 157 lks. dist. marked L 2 S 19 B T.	
	Continue to asc. 155 ft. over broken SE. slope.	
87.30	Intersect E. bdy. of T 5 N., R. 38 E.	
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 18 & 19, with brass cap marked	