

Subdivision of T 5 N., R. 39 E.

Chains		Feet
	slope, through heavy second growth timber and dense undergrowth.	
16.50	S. Fork of the Walla Walla River, 20 lks. wide, course S. 20° E.; asc. 95 ft. over E. slope.	
20.10	Spur, slopes SE.; desc. 10 ft. over SW. slope.	
22.10	Creek, 6 lks. wide, course S. 70° E.; asc. 500 ft. over broken NE. slope.	
24.50	South Fork of the Walla Walla Rive, Trail, bears NE. and SW.	
26.80	Spring branch, 2 lks. wide, course N., 30° E.	
35.35	Top of pyramid shaped volcanic plug, 60 ft. high on E. face.	
40.00	Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for $\frac{1}{4}$ Sec. cor., with brass cap marked	
	$\begin{array}{r} \frac{1}{4} \text{ S } 7 \\ \hline \text{S } 18 \\ 1935 \end{array}$	
	A fir, 42 ins. diam., bears N. 66° E., 46 lks. dist., marked $\frac{1}{4}$ S 7 B T	
	A fir, 18 ins. diam., bears S. 69° E., 21 lks. dist., marked $\frac{1}{4}$ S 18 B T.	
	Continue to asc. 973 ft. over broken NE. slope.	
79.80	Yellow Jacket Road, bears NE. and SW.	
80.00	Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for cor. of lots. 1, 2, 7 & 8, with brass cap marked	
	$\begin{array}{r} \text{S } 7 \\ 7 8 \\ \hline 2 1 \\ \text{S } 18 \\ 1935 \end{array}$	
	from which	
	A fir, 8 ins. diam., bears N. 52° E., 35 lks. dist., marked L 8 S 7 B T.	
	A pine, 8 ins. diam., bears S. 57° E., 46 lks. dist., marked L 1 S 18 B T.	
	Continue to asc. 10 ft. over SE. slope.	
86.62	Intersect E. bdy. of T. 5 N., R 38 E.	
	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to solid rock and in a mound of stone to top, for closing cor. of secs. 7 & 18, with brass cap marked	
	$\begin{array}{r l} \text{T5N} & \text{T5N} \\ \text{S12} & \text{S } 7 \\ \text{R38E} & \text{S18 } 60 \\ & \text{R39E} \\ 1935 \end{array}$	
	from which	
	A fir, 20 ins. diam., bears N. 71° E., 45 lks. dist., marked T 5 N R 39 E S 7 C C B T.	