

## Exterior Lines of T. 5 S., R. 31 E., W.M.

Chains		Feet
45.00	Enter Prairie, course E. and W.	
77.00	Enter timber, course E. and W.	
80.00	<p>Set basalt stone, 18 x 10 x 8, in Sag sloping E. for Cor. to Secs. 6, 7, 1 and 12.</p> <p>A Pine, 6 ins. diam. brs. N. 26° E., 63 lks. dist.</p> <p>A Pine, 44 ins. diam. brs. S., 50° E., 8 lks. dist.</p> <p>A Pine, 8 ins. diam. brs. S., 42° W., 59 lks. dist.</p> <p>A Pine 10 ins. diam. brs. N. 23° W., 35 lks. dist.</p> <p>Land; surface rolling,</p> <p>Soil; 3rd and 2nd rate. Mostly heavy timber, with some open glades. Pine, Tamarack and Fir. Good grass in openings. Some good farming land.</p>	
	<p>N. on the W. Bdy. of Sec. 6,</p> <p style="text-align: right;">Var. 18° 15' E.</p>	
28.00	Enter Prairie, course E. and W.	
40.00	Set basalt stone, 24 x 14 x 12 on E. slope in small open prairie in mound of stone for $\frac{1}{4}$ Sec. Cor. No trees.	
75.50	Enter timber, course E. and W.	
80.00	<p>Set basalt stone, 18 x 14 x 10 in Sag. Sloping E. for Cor. to Tps. 4 and 5 S., R. 30 and 31 E.</p> <p>A Pine, 20 ins. diam. brs. N. 56° E., 54 lks. dist.</p> <p>A Pine, 22 ins. diam. brs. S. 33° E., 118 lks. dist.</p> <p>A Pine, 16 ins. diam. brs. S. 62° W., 39 lks. dist.</p> <p>A Pine, 18 ins. diam. brs. N. 80° W., 80 lks. dist.</p> <p>Land; surface rolling,</p> <p>Soil; 2nd and 3rd rate, mostly open. Some Pine, Tamarack and Fir timber. Good grass. Some good farming land.</p> <p style="text-align: right;">October 1st, 1880</p>	
	<p>Exterior Bdy. of T. 5 S., R. 29 E. W.M.  As surveyed by Edward W. Saunderson, U.S. Deputy Surveyor,  Under Contract No. 417,  Dated August 24, 1881</p>	
	<p>I begin at the post, the Cor. to Tps. 5 S., Rs. 29 and 30 E., on the 1st Standard Parallel S. The Cor. is in good condition, a post standing and marked,</p>	