

Exteriro Lines of T. 5 S., R. 29 E. W.M.

Chains		Feet
	<p>T. 5 S., R. 30 E., S. 31 S.C. on N.E. and T. 5 S., R. 29 E., S. 36 S.C. on N.W., S. blank, and, A Pine 20 ins. diam. brs. N. 13° E. 54 lks. dist. marked T. 5 S., R. 30 E., S. 31 S.C. B.T. A Pine 4 ins. diam. brs. N. 47° W. 72 lks. dist. marked T. 5 S., R. 29, E. S. 36 S.C.B.T.</p> <p>survey commenced June 7th 1882, with a Burt's Improved Solar Compass, all in good order and proper adjustment, with good sunshine I run, N. bet Secs. 31 and 36.</p> <p style="text-align: right;">Var. 19° E.</p> <p>Slightly ascending,</p>	
40.00	<p>Set a basalt stone 12 x 10 x 8 ins., 8 ins. in ground on slight S.W. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which, A Pine 18 ins. diam. brs. N. 78° E. 53 lks. dist. marked $\frac{1}{4}$ S.B.T. A Pine 30 ins. diam. brs. W. 153 lks. dist. marked $\frac{1}{4}$ S.B.T.</p>	
80.00	<p>Set a basalt stone 16 x 12 x 7 ins. 11 ins. in ground for Cor. to Secs. 25, 36, 30 and 31, marked with, 5 notches on N. and 1 notch on S. edges, from which, A Fir 18 ins. diam. brs. N. 81° E. 93 lks. dist., marked T. 5 S., R. 30 E., S. 30 B.T. A Pine 8 ins. diam. brs. S. 46° E. 80 lks. dist. marked T. 5 S., R. 30 E., S. 31 B.T. A Pine 18 ins. diam. brs. S. 80° W. 46 lks. dist. marked T. 5 S., R. 29 E., S.36 B.T. A Pine 6 ins. diam. brs. N. 62° W. 69 lks. dist. marked T. 5 S., R. 29 E., S. 25 B.T.</p> <p>Land; surface undulating and sloping, slightly S. Soil; 2nd and 3rd rate. Pine, Tamarack and Fir timber, with some small glades.</p>	