

Subdivisional Lines, T.5 S., R.31 E., W. M.

Chains	
71.50	Creek, 50 lks. wide, course S.W.
80.00	Set basalt stone, 18 x 8 x 5, on steep S. slope, in mound of stone, for Cor. to Secs. 20, 21, 28 & 29. A pine, 20 ins. diam., brs. N.54°E., 70 lks. dist. A fir, 16 ins. diam., brs. S.46°E., 57 lks. dist. A fir, 24 ins. diam., brs. S.56°W., 104 lks. dist. Land; surface very broken & mountainous. Soil; 3rd rate. Scattering pine, tamarack & fir timber, some grass.
	E. on random line bet. Secs. 21 & 28. Var. 21°45'E.
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.
79.76	Intersected N. & S. line, 46 lks. S. of Cor. to Secs. 21, 22, 27 & 28, from which Cor., I run S.89°40'W. on true line bet. Secs. 21 & 28. Var. 23°30'E.
8.00	In deep ravine, course N.
13.00	On plateau.
39.88	Set basalt stone, 20 x 7 x 6, at foot of bluff, on bank of creek, for $\frac{1}{4}$ Sec. Cor. A tamarack, 14 ins. diam., brs. S.28°W., 90 lks. dist.
40.25	Creek, 50 lks. wide, course S.W.
79.76	The Cor. to Secs. 20, 21, 28 & 29. Land; surface very broken and mountainous. Soil; 3rd rate. Scattering pine, tamarack & fir timber, some grass. Oct. 9, 1880.
	N. bet. Secs. 20 & 21. Var. 21°45'E.
40.00	Set basalt stone, 14 x 12 x 5, on flat table land, for $\frac{1}{4}$ Sec. Cor. A pine, 20 ins. diam., brs. S.46°W., 260 lks. dist.
80.00	Set basalt stone, 14 x 12 x 7, on steep S. slope, in mound of stone, for Cor. to Secs. 16, 17, 20 & 21.