

## Subdivisional Lines of T. 5 S., R. 32 E., W.M.

Chains		Feet
	timber on S. 12 Chs.	
<hr/>		
	N. bet. Secs. 33 & 34	
		Var. 21° 00' E.
	A Tamarack, 12 ins. diam. brs. N. 45° E., 23 lks. dist.	
	A " 7 " " " N. 45° W. 15 lks. dist.	
37.00	Brook, 6 lks. wide, course N. 10° W.	
40.00	Set basalt stone 15 x 8 x 7 on side of bluff E. of brook for $\frac{1}{4}$ Sec. Cor.	
	A Fir, 10 ins. diam. brs. S. 54° E., 41 lks. dist.	
	A Tamarack, 20 ins. diam. brs. S. 18° W., 41 lks. dist.	
46.00	Same brook, 8 lks. wide, course N.E.	
67.00	" " 8 lks. " " N.W.	
80.00	Set basalt stone, 24 x 10 x 7 in sag for cor. to Secs. 27, 29, 33 and 34.	
	A Tamarack, 16 ins. diam. brs. N. 68° E., 36 lks. dist.	
	A " 10 " " " S. 26° E., 77 " "	
	A Pine, 20 ins. diam. brs. S. 26° W., 73 lks. dist.	
	A Fir, 15 ins. diam. brs. N. 20° W., 34 lks. dist.	
	Land; surface broken;	
	Soil; 3rd & 2nd rate, heavy Pine, Tamarack and Fir timber.	
	Some thick Willow and young timber underbrush.	
<hr/>		
	E. on a random line bet. Sec. 27 & 34	
		Var. 21° 15' E.
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
79.62	Intersected N. and S. line, 10 lks. S. of Cor. to Secs. 26, 27, 34 & 35, from which Cor. I run,	
	S. 89° 50' W. on a true line bet. Sec. 27 & 34.	
		Var. 19° 15' E.
16.00	Enter timber, course S.E. and N.W.	
39.81	Set basalt stone, 12 x 10 x 5 on level for $\frac{1}{4}$ Sec. Cor.	
	A Pine, 30 ins. diam. brs. N. 40° W., 6 lks. dist.	
	A Pine, 28 ins. diam. brs. S. 26° W., 44 lks. dist.	
79.62	The Cor. to Secs. 27, 28, 33 & 34.	