

Exteriors T.5 S.,R.33 E.,W. M.

Chains	<p>A fir, 6 ins. diam., brs. S. 68°E., 10 lks. dist., marked <math>\frac{1}{4}</math> S.,B.T.</p> <p>A tamarack, 8 ins. diam., brs. N.54°W., 18 lks. dist., marked <math>\frac{1}{4}</math> S.,B.T.</p>
45.75	A brook, 10 lks. wide, course N.W., about 300 ft. below top of ridge.
80.00	<p>Set basalt stone, 20 x 12 x 10 ins., 15 ins. in ground, on top of hill, 300 ft. above brook, for Cor. to Secs. 24, 25, 19 &amp; 30, in open glade, marked 2 notches on S. and 4 notches on N. edges, from which</p> <p>A pine, 18 ins. diam., brs. N.46°E., 245 lks. dist., marked T.5 S.,R.34 E.,S.19,B.T.</p> <p>A pine, 12 ins. diam., brs. S.18°W., 158 lks. dist., marked T.5 S.,R.33 E.,S.25,B.T.</p> <p>No other trees near and in lieu thereof, I raise mound of stone alongside Cor.</p> <p>Land; surface mountainous.</p> <p>Soil; 2nd &amp; 3rd rate.</p> <p>Heavy pine, tamarack &amp; fir timber, with some open glades.</p>
	<p>N. on E. Bdy. of Sec. 24.</p> <p style="text-align: right;">Var.19°20'E.</p> <p>Irregular surface.</p>
36.50	Enter large open glade.
40.00	<p>Set basalt stone, 14 x 10 x 8 ins., 10 ins. in ground, for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on W. face.</p> <p>A fir, 14 ins. diam., brs. N.53°W., 194 lks. dist., marked <math>\frac{1}{4}</math> S.,B.T.</p> <p>No other tree near, in lieu thereof, I raise mound of stone alongside.</p>
52.00	A spring branch, course N.W., descent 100 ft. Enter scattering timber.
80.00	Set basalt stone, 17 x 10 x 8 ins., 12 ins. in ground, on N.W. slope, for Cor. to Secs. 13, 24, 18 & 19, marked with 3 notches on S. and 3 notches on N. edges, from which