

Exterior Lines, T.5 S.,R.33 E.,W. M.

Chains Land; surface, irregular rolling & broken.
 Soil; 3rd & 2nd rate.
 Mostly heavy pine, tamarack & fir timber, with open glades.
 Sept. 5, 1881.

N. on E. Bdy. of Sec. 12.

Irregular descent. Var.20°00'E.

40.00 Set basalt stone, 14 x 10 x 8 ins., 9 ins. in ground, on N. slope, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face.

A fir, 8 ins. diam., brs. E. 70 lks. dist., marked $\frac{1}{4}$ S.,B.T.

A fir, 12 ins. diam., brs. S.18°W., 55 lks. dist., marked $\frac{1}{4}$ S.,B.T.

80.00 Set basalt stone, 16 x 10 x 5 ins., 11 ins. in ground, for Cor. to Secs. 1, 12, 6 & 7 (descent 250 ft.), marked with 5 notches on S. and 1 notch on N. edges,

A pine, 6 ins. diam., brs. N.9°E., 90 lks. dist. marked T.5 S.,R.34 E.,S.6,B.T.

A pine, 8 ins. diam., brs. S.68°E., 88 lks. dist., marked T.5 S.,R.34 E.,S.7,B.T.

A pine, 8 ins. diam., brs. S.75°W., 138 lks. dist., marked T.5 S.,R.33 E.,S.12,B.T.

A pine, 8 ins. diam., brs. N.48°W., 139 lks. dist., marked T.5 S.,R.33 E.,S.1,B.T.

Land; surface irregular N. slope & rolling.

Soil;3rd & 2nd rate.

Pine, tamarack & fir timber, with open glades.

N. on E. Bdy. of Sec. 1.

Var.19°45'E.

38.50 Foot of descent, creek bottom. Descent 80 ft.

40.00 Set basalt stone, 14 x 12 x 8 ins., on level in creek bottom 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face from which,

A pine, 6 ins. diam., brs. N.38°E., 9 lks. dist., marked $\frac{1}{4}$ S.,B.T.