

Subdivisional Lines, T.5 S., R.33 E., W. M.

Chains	<p>A tamarack, .14 ins. diam., brs. S.54°E., 76 lks. dist., marked $\frac{1}{4}$ S., B.T.</p>
80.12	<p>The Cor. to Secs. 11, 12, 13 & 14. Land; surface broken. Soil; 3rd & 2nd rate. Heavily timbered with pine, tamarack & fir timber, with open glades.</p>
	<p>N. bet. Secs. 11 & 12. Var. 19°30'E.</p>
	<p>Irregular descent.</p>
40.00	<p>Set basalt stone, 12 x 10 x 8 ins., 8 ins. in ground, on N. slope, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which</p>
	<p>A tamarack, 8 ins. diam., brs. S.80°E., 37 lks. dist., marked $\frac{1}{4}$ S., B.T.</p>
	<p>A pine, 5 ins. diam., brs. S.82°W., 18 lks. dist., marked $\frac{1}{4}$ S., B.T.</p>
80.00	<p>Set basalt stone, 18 x 8 x 5 ins., 12 ins. in ground, for Cor. to Secs. 1, 2, 11 & 12, marked with 5 notches on S. and 1 notch on E. edges, this point 150 ft. below last Sec. Cor.</p>
	<p>A tamarack, 16 ins. diam., brs. N.78°E., 54 lks. dist., marked T.5 S., R.33 E., S.12, B.T.</p>
	<p>A pine, 4 ins. diam., brs. S.36°E., 42 lks. dist., marked T.5 S., R.33 E., S.12, B.T.</p>
	<p>A pine, 30 ins. diam., brs. S.10°W., 20 lks. dist., marked T.5 S., R.33 E., S.11, B.T.</p>
	<p>A tamarack, 10 ins. diam., brs. N.70°W., 52 lks. dist., marked T.5 S., R.33 E., S.2, B.T.</p>
	<p>Land; surface rolling, with slope.</p>
	<p>Soil; 2nd & 3rd rate.</p>
	<p>Mostly open scattering pine and tamarack timber. Small amount of underbrush.</p>
	<p>E. on random line bet. Secs. 1 & 12. Var. 20°30'E.</p>