

Subdivisional Lines, T.5 S., R.33 E., W. M.

Chains	
54.00	Spring branch, course N.W.
80.18	Intersected N. & S. line, 66 lks. N. of Cor. to Secs. 11, 12, 13 & 14, from which Cor., I run N.89°32'W. on true line bet. Secs. 11 & 14. Var.19°30'E.
40.09	Set basalt stone, 12 x 10 x 8 ins., 8 ins. in ground, on N.E. slope, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face A pine, 14 ins. diam., brs. N.68°E., 67 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 18 ins. diam., brs. S.10°W., 73 lks. dist., marked $\frac{1}{4}$ S., B.T.
80.18	The Cor. to Secs. 10, 11, 14 & 15. Land; surface rolling. Soil; 2nd & 3rd rate. Mostly open scattering pine timber.
	N. bet. Secs. 10 & 11. Var.20°45'E.
	Descending.
40.00	Set basalt stone, 12 x 10 x 6 ins., 8 ins. in ground, on slight N. slope, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face A tamarack, 10 ins. diam., brs. N.51°E., 22 lks. dist., marked $\frac{1}{4}$ S., B.T. A tamarack, 10 ins. diam., brs. N.31°W., 19 lks. dist., marked $\frac{1}{4}$ S., B.T.
78.75	Spring branch, course N.E., descent 150 ft.
80.00	Set basalt stone, 17 x 10 x 8 ins., in mound of stone, on rocky S.E. slope, for Cor. to Secs. 2, 3, 10 & 11, marked with 5 notches on S. and 2 notches on E. edges. A pine, 12 ins. diam., brs. N.58°E., 86 lks. dist., marked T.5 S., R.33 E., S.2, B.T. A pine, 10 ins. diam., brs. S.60°E., 54 lks. dist., marked T.5 S., R.33 E., S.11, B.T. A pine, 9 ins. diam., brs. S.4°W., 42 lks. dist., marked T.5 S., R.33 E., S.10, B.T. No tree N.W.