

Subdivisional Lines, T.5 S., R.33 E., W. M.

Chains.  
 S.00°09'W. on true line bet. Secs. 3 & 4.  
 Var, 18°30'E.

39.74 Set basalt stone, 18 x 12 x 7 ins., 12 ins. in ground, on E. slope, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, from which  
 which  
 A tamarack, 13 ins. diam., brs. N.85°E., 37 lks. dist., marked  $\frac{1}{4}$  S., B.T.  
 A fir, 18 ins. diam., brs. N.20°W., 16 lks. dist., marked  $\frac{1}{4}$  S., B.T.

79.74 The Cor. to Secs. 3, 4, 9 & 10.  
 Land; surface rolling.  
 Soil; 3rd & 2nd rate.  
 Open scattering pine, tamarack & fir timber, with open glades; N.  $\frac{1}{2}$  mile nearly all open prairie.  
 June 3, 1882.

N. bet. Secs. 32 & 33.

Var. 19°10'E.

This Cor. is a post, in mound of stone, from which

A pine, 10 ins. diam., brs. N.70°E., 32 lks. dist., marked T.5 S., R.33 E., S.33, S.C., B.T.

A pine, 12 ins. diam., brs. N.17°W., 70 lks. dist., marked T.5 S., R.33 E., S.32, S.C., B.T.

Rolling & slightly ascending.

40.00 Set basalt stone, 15 x 8 x 7 ins., 10 ins. in ground, on level, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face.

A pine, 4 ins. diam., brs. N.76°E., 61 lks. dist., marked  $\frac{1}{4}$  S., B.T.

A pine, 14 ins. diam., brs. S.78°W., 61 lks. dist., marked  $\frac{1}{4}$  S., B.T.

80.00 Set basalt stone, 15 x 9 x 7 ins., 10 ins. in ground, on level, for Cor. to Secs. 28, 29, 32 & 33, marked with 1 notch on S. and 4 notches on E. edges

A pine, 10 ins. diam., brs. S.34°W., 53 lks. dist., marked T.5 S., R.33 E., S.32, B.T.

A pine, 28 ins. diam., brs. N.67°W., 103 lks. dist.,