Subdivisional Lines, T.5 S.,R.33 E.,W. M.

Chains	
	E. slope, in small open glade, for Cor. to Secs. 20, 21, 28 & 29, marked with 2 notches on S. and 4 notches on E. edges.
	A pine, 42 ins. diam.,brs. N.69°E., 118 lks. dist., marked T. 5 S.,R.33 E.,S.21,B.T.
	A pine, 16 ins. diam.,brs. S.44°E., 56 lks. dist., marked T.5 S.,R.33 E.,S.28,B.T.
	A tamarack, 5 ins. diam.,brs. S.45°W., 86 lks. dist., marked T.5 S.,R.33 E.,S.29,B.T.
	A pine, 28 ins. diam.,brs. N.40°W., 136 lks. dist., marked T.5 S.,R.33 E.,S.20,B.T.
	Land; surface undulating.
	Soil; 2nd & 3rd rate.
	Heavy pine, tamarack & fir timbered;
	Underbrush: same.
	Some open glades.
	E. on random line bet. Secs. 21 & 28. Var.20°30'E.
	Descending.
40.00	Set temp. ¼ Sec. Cor.
57.00	Creek, 60 lks. wide, from E. to N.W. Descent about 350 ft. Here I offset S. 250 lks., thence E.
80.10	Intersected N. & S. line and return from offset to a point N. of Cor. to Secs. 21, 22, 27 & 28, from which Cor.,I run
	N.89°52'W. on true line bet. Secs. 21 & 28. Var.20°15'E.
40.05	Set basalt stone, 15 x 10 x 7 ins., 10 ins. in ground,on N.E. slope, for ¼ Sec. Cor., marked ¼ on N. face, from which
	A pine, 20 ins. diam.,brs. N.10°W., 19 lks. dist., marked ¼ S.,B.T.
	A fir, 8 ins. diam.,brs. S.54°E., 13 lks. dist., marked ¼ S.,B.T.
80.10	The Cor. to Secs. 20, 21, 28 & 29.