

Subdivisional Lines, T.5 S., R.33 E., W. M.

Chains	
	<p>Land; surface partly rolling and partly level.</p> <p>Soil; 3rd & good 2nd rate.</p> <p>Heavily timbered with pine, tamarack & fir timber, with some open glades.</p> <hr/> <p>N. bet. Secs. 20 & 21.</p> <p style="text-align: right;">Var. 20°30'E.</p> <p>Descending on E. face of bluff.</p>
40.00	<p>Set basalt stone, 16 x 10 x 8 ins., 12 ins. in ground, on E. slope, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which</p> <p style="padding-left: 40px;">A pine, 5 ins. diam., brs. N.66°E., 32 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p style="padding-left: 40px;">A pine, 8 ins. diam., brs. S.67°W., 71 lks. dist., marked $\frac{1}{4}$ S., B.T.</p>
80.00	<p>Set basalt stone, 18 x 8 x 7 ins., 12 ins. in ground, on steep N.E. slope, for Cor. to Secs. 16, 17, 20 & 21, marked with 3 notches on S. and 4 notches on E. edges, from which</p> <p style="padding-left: 40px;">A fir, 8 ins. diam., brs. N.72°E., 44 lks. dist., marked T.5 S., R.33 E., S.16, B.T.</p> <p style="padding-left: 40px;">A tamarack, 18 ins. diam., brs. S.53°E., 53 lks. dist., marked T.5 S., R.33 E., S.21, B.T.</p> <p style="padding-left: 40px;">A fir, 8 ins. diam., brs. S.64°W., 26 lks. dist., marked T.5 S., R.33 E., S.20, B.T.</p> <p style="padding-left: 40px;">A fir, 28 ins. diam., brs. N.40°W., 9 lks. dist., marked T.5 S., R.33 E., S.17, B.T.</p>
	<p>Land; surface broken E. face of creek bluff.</p> <p>Soil; 3rd & 2nd rate.</p> <p>Heavily timbered with pine, tamarack & fir timber, with some open glades.</p> <hr/> <p>E. on random line bet. Secs. 16 & 21.</p> <p style="text-align: right;">Var. 19°15'E.</p>
4.50	Creek, 50 lks. wide, course N.W. Descent 100 ft.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
50.00	Spring branch, course S.