

Subdivisional Lines, T.5 S., R.33 E., W.M.

Chains	<p>A basalt stone, 16 x 8 x 5 ins., marked with 4 notches on S. and 4 notches on E. edges.</p> <p>Land; surface, N.60 chs. mountainous, greater part broken steep bluff.</p> <p>Soil; 3rd rate, small part 2nd rate.</p> <p>Timber; partly thick & partly scattering, pine, tamarack & fir.</p> <hr/> <p>E. on random line bet. Secs. 9 & 16.</p> <p style="text-align: right;">Var.19°00'E.</p> <p>Undulating.</p> <p>9.00 Enter scattering timber.</p> <p>40.00 Set temp. $\frac{1}{4}$ Sec. Cor.</p> <p>80.04 Intersected N. & S. line, 58 lks. N. of Cor. to Secs. 9, 10, 15 & 16, from which Cor., I run N.89°35'W. on true line bet. Secs. 9 & 16.</p> <p style="text-align: right;">Var.19°30'E.</p> <p>40.02 Set basalt stone, 12 x 10 x 5 ins., 8 ins. in ground, for $\frac{1}{4}$ Sec. Cor., on slight E. slope, marked $\frac{1}{4}$ on N. face</p> <p style="padding-left: 40px;">A pine, 22 ins. diam., brs. N.52°E., 48 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p style="padding-left: 40px;">A pine, 30 ins. diam., brs. S.26°E., 31 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p>80.04 The Cor. to Secs. 8, 9, 16 & 17.</p> <p>Land; surface undulating.</p> <p>Soil; 3rd & 2nd rate.</p> <p>Open scattering pine timber, with open glades.</p> <hr/> <p>N. bet. Secs. 8 & 9.</p> <p style="text-align: right;">Var.19°00'E.</p> <p>6.50 Enter timber, course S.E. & N.W.</p> <p>40.00 Set basalt stone, 16 x 10 x 8 ins.; 11 ins. in ground, on slight slope, N.E., for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face.</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., brs. N.40°E., 67 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p style="padding-left: 40px;">A pine, 16 ins. diam., brs. N.36°W., 26 lks. dist.,</p>
--------	--