

Subdivisional Lines, T.5 S., R.33 $\frac{1}{2}$  E., W. M.

Chains 80.19	Intersect N. Bdy. of Tp., 40 lks. W. to Cor. of Secs. 1, 2, 35 & 36, which is a basalt stone, 24 x 15 x 15 ins., 18 ins in ground, marked with $\frac{1}{2}$ notch on E. and 2 notches on W. edges; and pits 18 x 18 x 12 ins., in each Sec., 5 $\frac{1}{2}$ ft. dist & mound of earth, 2 ft. high & 4 $\frac{1}{2}$ ft. base alongside.
	Thence I run S.0°17'W. on true line bet. Secs. 1 & 2, with same Var.
40.19	Set pine post, 3 ft. long, 3 ins. sq., 18 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, from which A pine, 12 ins. diam., brs. N.58°W., 46 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 12 ins. diam., brs. S.79°E., 152 lks. dist., marked $\frac{1}{4}$ S., B.T.
80.19	The Cor. to Secs. 1, 2, 11 & 12. Land; rolling. Soil; 2nd rate. Heavily timbered with pine (black & yellow); good bunch grass & pine grass.
	From the standard Cor. to Secs. 34 & 35 on S. Bdy. of Tp., which is a post, 4 ins. sq., firmly set in ground, for standard Cor., marked S. C. T.5 S., R.33 $\frac{1}{2}$ E. on N. S.35 on E. and S.34 on W. faces, with 2 notches on E. and 4 notches on W. faces, from which A pine, 24 ins. diam., brs. N.50°E., 26 lks. dist., marked T.5 S., R.33 $\frac{1}{2}$ E., S.35, B.T. A pine, 24 ins. diam., brs. N.58°W., 24 lks. dist., marked T.5 S., R.33 $\frac{1}{2}$ E., S.34, B.T. A pine, 20 ins. diam., brs. S.70°W., 20 lks. dist., marked T.6 S., B.T. Thence I run N. bet. Secs. 34 & 35. Descending through timber. Var.