

Subdivisional Lines of T. 6 S., R. 31 E., W.M.

Chains		Feet
	S. 88° 42' W. on a true line bet. Secs. 4 & 9	
4.05	Camas creek, runs S.E., 100 lks. wide.	
	Foot of hill, N.W. and S.E.	
	Foot of hill, from creek, runs N.W. and S.E.	
39.77	Set a basalt stone, 20 x 10 x 6, and made mound of stone, for $\frac{1}{4}$ Sec. Cor.	
	A Fir, 6 ins. in diam. brs. S. 58° W., 66 lks. dist.	
73.55	Creek, 3 lks. wide, runs, N.E.	
79.55	To Cor. to Secs. 4, 5, 8 & 9	
	Land; hilly and broken	
	Soil; 3rd rate.	
	Scattering pine on E. 10 Chs., and W. 5 Chs. Heavy pine and fir on remainder and	
	Dense young pine, fir and mountain laural.	
<hr/>		
	N. bet. Secs. 4 & 5	
	Var. 21° E.	
21.50	Fork of Camas Creek, 100 lks. wide, runs E.	
	Foot of hill, brs. E. and W.	
40.00	Set a basalt stone, 18 x 12 x 6, for $\frac{1}{4}$ Sec. Cor.	
	A Y. pine, 18 ins. diam. brs. N. 88° E., 45 lks. dist.	
	A Y. Pine, 36 ins. diam. brs. N. 22° W., 41 lks. dist.	
60.00	Top of hill, brs. E. and W.	
77.00	Intersect 1st Standard Parellel, 345 lks. E. of Cor. to Secs. 4, 5, 32. & 33, and set stone, 18 x 10 x 6, for Closing Cor. in mound of stone.	
	Land; S. $\frac{3}{4}$ hilly and broken	
	Soil; 3rd rate.	
	Remainder rolling	
	Soil; 2nd rate.	
	Scattering fir and pine timber.	
<hr/>		
2.75	N. bet. Secs. 31 & 32	
2.75	Creek, 10 lks. wide, runs N 10° W.	
40.00	Set a basalt stone, 18 x 10 x 6, and erected mound of stone for $\frac{1}{4}$ Sec. Cor.	