

Subdivisional Lines, T 6 S R 32 E W M.

Chains	
3.00	Brook, 2 lks. wide, course N. W.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor. Thence over gently rolling ground.
80.15	Intersect E. Bdy. of Tp. at Cor. to Secs. 1, 12, 6 & 7, which which is a basalt stone, 26 x 10 x 3 ins., firmly set in ground, marked with 1 notch on N. and 5 notches on S. edges; from which A pine, 18 ins. diam., brs. N.21°E., 103 lks. dist., marked T 6 S R 33 E S 6 B T. A pine, 30 ins. diam., brs. S.59°E., 354 lks. dist., marked T 6 S R 33 E S 7 B T. A pine, 30 ins. diam., brs. S.42°W., 308 lks. dist., marked T 6 S R 32 E S 12 B T. A pine, 30 ins. diam., brs. N.52°W., 198 lks. dist., marked T 6 S R 32 E S 1 B T. Thence I run W. on true line bet. Secs. 1 & 12. With same Var.
40.07	Set basalt stone, 15 x 12 x 4 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, from which A pine, 24 ins. diam., brs. N.73°W., 94 lks. dist., marked $\frac{1}{4}$ S B T. A pine, 24 ins. diam., brs. S.10°E., 65 lks. dist., marked $\frac{1}{4}$ S B T.
80.15	The Cor. to Secs. 1, 2, 11 & 12. Land; gently rolling. Soil; 2nd rate. Densely covered with forests of pine, fir & tamarack tim- ber, 80.15 chs. Occasional patches of pine, fir & tamarack brush. <hr/> N. bet. Secs. 1 & 2. Var. 19°30'E.
10.90	Brook, 4 lks. wide, course W.
25.00	Ravine, course S.W.