Subdivisional Lines, T 6 S R 35 E W M.

Chains	
	Sec. Cor., marked ¼ S on W. face, from which
	A black pine, 8 ins. diam.,brs. N.26°E., 13 lks. dist.,
	marked ¼ S B T.
	A black pine, 6 ins. diam.,brs. N.64°W., 27 lks. dist.,
	marked ¼ S B T.
63.75	Intersect 1st Standard Parallel S. at a point, 7.13 chs.W.
	of ¼ Sec. Cor., on S. Bdy. of Secs. 35, T 5 S R 34 E.
	Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for
	Closing Cor. to Secs. 4 & 5, marked
	C C T 6 S R 35 E on S.
	S 4 on E. and
	S 5 on W. faces, with
	2 notches on W. and
	4 notches on E. edges,
	from which,
	A black pine, 7 ins. diam.,brs. S.24°E., 7 lks. dist.,
	marked T 6 S R 35 E S 4 B T.
	A black pine, 6 ins. diam.,brs. S.30°W., 13 lks. dist.,
	marked T 6 S R 35 E S 5 B T.
	Land; broken, 63.75 chs.
	Soil; 2nd rate.
	Densely covered with forests of black pine, fir & tamarack,
	63.75 chs.
	From the Cor. to Secs. 31 & 32, on S. Bdy. of Tp.
	Thence I run
	N. bet. Secs. 31 & 32.
	Var.20¼°E.
	Descend through timber.
9.50	A spring branch, 3 lks. wide, runs W., about 100 ft. below
	Cor.
11.75	Top of ridge, about 50 ft. above branch, course W.
20.00	A brook, 5 lks. wide, runs S.W., about 100 ft. below ridge
40.00	Set basalt stone, 16 x 8 x 7 ins., 11 ins. in ground, for ¼
	Sec. Cor., marked ¼ on W. face, from which